Australian Journal of Experimental Agriculture
Index to Volume 26, 1986

Adem, H. H.
See Tisdall, J. M. 193, 197
Akkasaeng, R.
See Sivasupiramaniam, S. 23
Allen, J. G.
See Morcombe, P. W. 13
Allen, R. N.
See Nuberg, I. K. 481
Anning, P., Shepherd, R. K., Walker, R. W., and Crowther, D. C.
Persistence and productivity of ten perennial *Urochloa* genotypes with *Stylosanthes* species in far north Queensland 567
Axelsen, A., Waller, P. J., Donald, A. D., Dobson, R. J., and Nadin, J. B.
Grazing management and nematode parasite control in cattle in the temperate climatic zone of Australia 267

Baker, H.
See Wilson, A. G. L. 237
Barbetti, M. J.
Effect of season, trash and fungicides on fungi associated with subterranean clover 431
Batten, G. D.
See Heenan, D. P. 691
Best., E. K.
See Strong, W. M. 347, 353
Blennerhassett, R. M., and El-Zeftawi, B. M.
Productivity and growth of six okra cultivars 625
Bluett, C. A.
See Sang, J. P. 607
de Boer, R. F.
See Taylor, Peter A. 745
Bolland, M. D. A.
Residual value of phosphorus from superphosphate for wheat grown on soils of contrasting texture near Esperance, Western Australia 209
Establishment of serradella by sowing either pod segments or scarified seed under a wheat crop 441
Efficiency with which yellow serradella and subterranean clover use superphosphate on a deep sandy soil near Esperance, Western Australia 675
Bolland, M. D. A., and Collins, W. J.
Effect of burr burial on seed production of *Trifolium subterraneum* subsp. *brachycalycinum* and other annual legumes 59
Bolland, M. D. A., Weatherley, A. J., Gilkes, R. J., and Bowden, J. W.
Granular reactive apatite rock phosphate is not an effective phosphorus fertilizer in the short term on lateritic soils in south-western Australia 217
Bonnet, R.
See González, R. 631
Boundy, K. A.
See Gault, R. R. 37
Bowden, J. W.
See Bolland, M. D. A. 217; Delroy, N. D. 469
Brennan, R. F.
See Jarvis, R. J. 703
Bretag, T. W., and Kollmorgen, J. F.
Effects of trifluralin, benomyl and metalaxyl on the incidence and severity of root disease in annual *Medicago* spp., and evaluation of cultivars for resistance to root rot 65
Broadbent, P.
See Freeman, B. 751
Brockwell, J.
See Gault, R. R. 37
Butler, L. G., and McDonald, C. L.
Growth responses to young Merino wethers to *ad libitum* feeding of oat grain mixed with either lupin seed or a urea solution 643

Campbell, M. H., Keys, M. J., Murison, R. D., and Dellow, J. J.
Establishing surface-sown pastures in a *Poa labillardieri–Themeda australis* association 331
Cellier, K. M.
See Chapman, A. L. 591
Chalmers, D. J.
See Mehanni, A. H. 173
Chapman, A. L., and Cellier, K. M.
Residual values of zinc sulfate and acidifying (elemental) sulfur for rice on the alkaline Cununurra soils of the Ord Irrigation Area, Western Australia 591
Chapman, K. R.
See Menzel, C. M. 261
Chapman, K. R., Paxton, B., and Maggs, D. H.
Growth and yield of clonal guavas in south-eastern Queensland 619
Chung, B., and Strickland, H. L.
Effect of sowing time on the once-over harvest yield of broccoli cultivars in north-west Tasmania 497
Colless, J. M.
See Nuberg, I. K. 481
Collins, W. J.
See Bolland, M. D. A. 59
Congdon, P.
See Rushen, J. 535
Constable, G. A.
See Marcellos, H. 493
Conyers, Mark
The relationship between average annual rainfall and exchangeable aluminium in soils of south-eastern New South Wales 587
Corbin, E. J.
See Gault, R. R. 37
Cornish, P. S.
Effects of a triadimefon–lindane seed treatment on the germination, seedling morphology and emergence of wheat 227
Cresswell, G. C., and Wickson, R. J.
Seasonal variation in the nutrient composition of the foliage of pecan (*Carya illinoensis*) 393
Crotty, K. J.
See Tierney, T. J. 651
Crowther, D. C.
See Anning, P. 567

Cullis, B.
See Hedberg, P. R. 511
Curnow, B. C.
See Jones, H. R. 31

Dahlenburg, A. P.
See Maier, N. A. 737
Darnell, R. E.
See Nuberg, I. K. 481
Dawson, K. A.
See Fleet, M. R. 159
Dellow, J. J.
See Campbell, M. H. 331
Delroy, N. D., and Bowden, J. W.
Effect of deep ripping, the previous crop, and applied nitrogen on the growth and yield of a wheat crop 469
Dobos, R. C.
See Fulkerson, W. J. 523
Dobson, R. J.
See Axelsen, A. 267
Dolling, C. H. S.
See Fleet, M. R. 159
Donald, A. D.
See Axelsen, A. 267
Dove, H., and Freer, M.
The use of tritiated gypsum for estimating individual intakes of pelleted or unpelleted supplement by lambs fed individually or in groups 19
Dunford, E.
See Grieve, A. M. 761

Elliott, B. R.
See Sang, J. P. 607
El-Zeftawi, B. M.
See Blennerhassett, R. M. 625
El-Zeftawi, B. M., Goubran, F. H., and Richards, J. G.
Effects of cutting and cold-storage of parent canes on cane production of raspberry 501

Farrell, D. J.
See Kuan, K. K. 285
Fischer, R. A.
See Mason, I. B. 457
Fisher, M. J.
See Keating, B. A. 181
Fleet, M. R., Stafford, J. E., Dawson, K. A., and Dolling, C. H. S.
Contamination of white wool by melanin-pigmented fibres when pigmented and white sheep graze together 159
Flett, S. P.
See Taylor, Peter A. 745
Forcella, F., and Gill, A. M.
Manipulation of buried seed reserves by timing of soil tillage in Mediterranean-type pastures 71
Forsberg, L. I.
See Whiley, A. W. 249
Freeman, B., Broadbent, P., and Nicholls, P.
Evaluation of rootstocks for five lemon scions in replant ground 751
Freeman, B. M.
See Hedberg, P. R. 511
Freer, M.
See Dove, H. 19
Frensham, A. B.
See Maier, N. A. 737

Fulkerson, W. J., Dobos, R. C., and Michell, P. J.
Relationship between predicted energy requirements and measured energy intake of dairy cattle at pasture 523
Fulton, Moira C.
See Garside, A. L. 115

Garside, A. L., and Fulton, Moira C.
Response of irrigated soybeans (*Glycine max*) to phosphorus on an alkaline cracking clay in semi-arid tropical Australia 115
Gault, R. R., Corbin, E. J., Boundy, K. A., and Brockwell, J.
Nodulation studies on legumes exotic to Australia: *Lupinus* and *Ornithopus* spp. 37
Gilkes, R. J.
See Bolland, M. D. A. 217
Gill, A. M.
See Forcella, F. 71
González, R., Bonnet, R., Guerra, J. C., and Labuonora, D.
Lifetime productivity of single- and twin-born Corriedale sheep and their dams 631
Goubran, F. H.
See El-Zeftawi, B. M. 501
Grieve, A. M., Dunford, E., Marston, D., Martin, R. E., and Slavich, P.
Effects of waterlogging and soil salinity on irrigated agriculture in the Murray Valley: a review 761
Guerra, J. C.
See González, R. 631

Hacker, J. B.
Selecting for nutritive value in *Digitaria milanjiana.*
1. Breeding of contrasting full-sib clones differing in leaf digestibility 543
See also Minson, D. J. 551
Hall, B. D.
See Harbison, J. 339; Strong, W. M. 347, 353
Harbison, J., Hall, B. D., Nielsen, R. G. H. and Strong, W. M.
Comparison of winter cereal, oilseed and grain legume crops on the Darling Downs, Queensland 339
Harbison, J.
See Strong, W. M. 347, 353
Harper, L. R.
See Wilson, A. G. L. 237
Harrington, Graham N.
Herbivore diet in a semi-arid *Eucalyptus populnea* woodland.
1. Merino sheep 413
2. Feral goats 423
Hedberg, P. R., McLeod, R., Cullis, B., and Freeman, B. M.
Effect of rootstock on the production, grape and wine quality of Shiraz vines in the Murrumbidgee Irrigation Area 511
Heenan, D. P., and Batten, G. D.
Response to superphosphate by rice in an annual rice-cropping system in southern New South Wales 691
Heuperman, A. F., Repsys, A. P., and Mehanni, A. H.
Salinity control by pumping and re-using groundwater: its effect on watertable levels, soil salinity and farm productivity on a dairy property in the Goulburn Valley, Victoria 669
Hill, Stuart J.
See Rattigan, Kevin 399
Huett, D. O.
Response to nitrogen and potassium of tomatoes grown in sand culture 133

Jarvis, R. J., and Brennan, R. F.
Timing and intensity of surface cultivation and depth of cultivation affect rhizoctonia patch and wheat yield 703
Jones, D. R.
A chemical treatment of maize seed to control the germination of teliospores of *Ustilago maydis* 187
Jones, H. R.
Effect of different phosphatic fertilisers applied at sowing on the survival of inoculated *Rhizobium trifolii* and on the nodulation of clover 437
Jones, H. R., and Curnow, B. C.
Nodulation of subterranean clover growing in permanent pastures on acid soils in North-Central Victoria 31
Jones, R. J., and Slater, Joanna
The use of epidermal hairs of the legume Siratro recovered in the faeces to estimate the proportion of Siratro in the diet of ruminants 557

Keating, B. A., Strickland, R. W., and Fisher, M. J.
Salt tolerance of some tropical pasture legumes with potential adaptation to cracking clay soils 181
Kellaway, R. C.
See Spragg, J. C. 527
Kelly, K. B., and Mason, W. K.
Evaluation of some annual *Trifolium* spp. under irrigation 79
Kempton, T. K.
See Spragg, J. C. 527
Kenney, P. A.
Productivity of early-weaned lambs fed high-grain diets of wheat, oats or barley with or without lupin grain 279
Keys, M. J.
See Campbell, M. H. 331
Khan, T. N.
Effects of fungicide treatments on scald (*Rhynchosporium secalis* (Oud.) J. Davis) infection and yield of barley in Western Australia. 231
Kidd, C. R.
See Lemerle, D. 383
Kirkham, R. P.
Screening for resistance to powdery scab disease of potatoes 245
Kochman, J. K., and Langdon, P. W.
Fungicide treatment of sunflower seed to inhibit germination of admixed sclerotia of *Sclerotinia sclerotiorum* 489
Kollmorgen, J. F.
See Bretag, T. W. 65
Kuan, K. K., Mak, T. K., and Farrell, D. J.
Effect of dietary energy concentration, protein : energy and lysine : energy ratios on growth of pigs in the humid tropics 285

Labuonora, D.
See González, R. 631
Langdon, P. W.
See Kochman, J. K. 489
Lee, G. J.
Growth and carcass characteristics of ram, cryptorchid and wether Border Leicester × Merino lambs: effects of increasing carcass weight 153
Growth and carcass composition of ram and wether lambs fed at two levels of nutrition 275
Lemerle, D., Kidd, C. R., and Read, B. J.
Tolerances of barley cultivars to post-emergence herbicides 383
Lill, W. J.
See Taylor, A. C. 709
Lloyd Davies, H.
See Ridley, P. E. R. 665
Lodge, G. M.
Yield and persistence of irrigated lucernes cut at different frequencies, at Tamworth, New South Wales 165
Lowry, J. B.
See Tangendjaja, B. 315

McColl, C. R.
Cyanamide advances the maturity of table grapes in central Australia 505
McDonald, C. L.
See Butler, L. G. 643; Norris, R. T. 647
McGregor, B. A.
Water intake of grazing Angora wether goats and Merino wether sheep 639
McLeod, R.
See Hedberg, P. R. 511
McLeod, R. W., Wong, P. T. W., and Southwell, R. J.
Biology and control of cereal cyst nematode in northern New South Wales 375
McPhee, C. P.
See Smith, P. R. 539
McSweeney, C. S. and Wesley-Smith, R. N.
Factors limiting the intake by sheep of the tropical legume, *Calopogonium mucunoides* 659
Maggs, D. H.
See Chapman, K. R. 619
Maier, N. A.
Potassium nutrition of irrigated potatoes in South Australia.
1. Effect on tuber yield and the prediction of tuber yield response by soil analysis 717
2. Effect on chemical composition and the prediction of tuber yield response by plant analysis 727
Maier, N. A., Dahlenburg, A. P., and Frensham, A. B.
Potassium nutrition of irrigated potatoes in South Australia.
3. Effect on specific gravity, size and internal bruising of tubers 737
Mak, T. K.
See Kuan, K. K. 285
Mann, G. D.
See Novak, V. J. 129
Marble, V. L.
See Taylor, A. J. 577
Marcellos, H., and Constable, G. A.
Effects of plant density and sowing date on grain yield of faba beans (*Vicia faba* L.) in northern New South Wales 493
Marshall, D.
See Taylor, Peter A. 745
Marston, D.
See Grieve, A. M. 761
Martin, R. E.
See Grieve, A. M. 761
Mason, I. B., and Fischer, R. A.
Tillage practices and the growth and yield of wheat in southern New South Wales: Lockhart, in a 450 mm rainfall region 457
Mason, W. K.
See Kelly, K. B. 79

Mehanni, A. H.
See Heuperman, A. F. 669
Mehanni, A. H., and Chalmers, D. J.
Effect of irrigation with saline water on soil properties and salinization of perennial pasture soils 173
Mehanni, A. H., and Repsys, A. P.
Perennial pasture production after irrigation with saline groundwater in the Goulburn Valley, Victoria 319
Menzel, C. M., Chapman, K. R., Paxton, B. F., and Simpson, D. R.
Growth and yield of lychee cultivars in subtropical Queensland 261
Menzel, C. M., and Paxton, B. F.
The pattern of growth, flowering and fruiting of guava varieties in subtropical Queensland 123
Effect of cincturing on growth and flowering of lychee: preliminary observations in subtropical Queensland 255
Michell, P. J.
See Fulkerson, W. J. 523
Miers, D. J.
See Perry, M. W. 361
Miers, D. J., and Perry, M. W.
Organic materials applied as seed treatments or foliar sprays fail to increase grain yield of wheat 367
Miles, J. W.
Effect of establishment method on field performance of *Stylosanthes guianensis* lines 325
Minson, D. J., and Hacker, J. B.
Selecting for nutritive value in *Digitaria milanjiana*.
1. Breeding of contrasting full-sib clones differing in leaf digestibility 543
2. Intake and digestibility of divergently selected full-sibs compared with *Digitaria decumbens* 551
Morcombe, P. W., Ryan, W. J., and Allen, J. G.
Sandplain lupins (*Lupinus cosentinii*) as a summer feed for yearling steers 13
Morris, C. A.
See Suiter, R. J. 139
Muldoon, D. K.
Dry matter accumulation and changes in forage quality during primary growth and three regrowths of irrigated winter cereals 87
Nutrition of irrigated crops on an alkaline brown clay soil at Trangie, New South Wales.
1. Lucerne 445
2. Wheat 451
Murison, R. D.
See Campbell, M. H. 331

Nadin, J. B.
See Axelsen, A. 267
Nielsen, R. G. H.
See Harbison, J. 339; Strong, W. M. 347, 353
Norris, R. T., McDonald, C. L., and Rowe, J. B.
Use of monensin to restrict feed intake in sheep destined for live export 647
Novak, V. J., Mann, G. D., and Schrodter, G. N.
Effects of age at harvest and irrigation near maturity on the incidence of internal brown fleck in potato tubers 129
Nuberg, I. K., Allen, R. N., Colless, J. M., and Darnell, R. E.
Field reactions of maize varieties commonly grown in Australia to boil smut caused by *Ustilago zeae* 481

Paxton, B.
See Chapman, K. R. 619
Paxton, B. F.
See Menzel, C. M. 123, 255, 261
Pegg, K. G.
See Whiley, A. W. 249
Pell, A. S., and Polkinghorne, R. W.
Effect of dietary nutrient concentration on the performance of hens beginning lay in early summer 405
Perry, M. W.
See Miers, D. J. 367
Perry, M. W., and Miers, D. J.
A re-evaluation of chlormequat application to wheat in Western Australia 361
Petterson, D. S.
See P. McR. Wood 583
Pinkerton, A., and Simpson, J. R.
Responses of some crop plants to correction of subsoil acidity 107
Interactions of surface drying and subsurface nutrients affecting plant growth on acidic soil profiles from an old pasture 681
Polkinghorne, R. W.
A comparison of purebred and strain-cross New Hampshire hens as dams 291
Polkinghorne, R. W.
See Pell, A. S. 405
Powell, E. E.
See Tierney, T. J. 651
Probert, M. E., and Williams, John
Effect of phosphorus application on seasonal changes in nitrogen and phosphorus concentrations of four perennial *Stylosanthes* accessions 49

Radford, B. J.
Effect of a press wheel and depth of sowing on the establishment of semidwarf and tall wheats 697
Rattigan, Kevin, and Hill, Stuart J.
Relationship between temperature and flowering in almond 399
Read, B. J.
See Lemerle, D. 383
Repsys, A. P.
See Heuperman, A. F. 669; Mehanni, A. H. 319
Richards, J. G.
See El-Zeftawi, B. M. 501
Ridley, P. E. R., Lloyd Davies, H., and Southey, I. N.
The nutritive value of subterranean clover (*Trifolium subterraneum* L.), rose clover (*Trifolium hirtum* All.) and soft brome grass (*Bromus mollis* L.) 665
Rowe, J. B.
See Norris, R. T. 647
Rudder, T. H.
See Tierney, T. J. 651
Rushen, J., and Congdon, P.
Relative aversion of sheep to simulated shearing with and without electro-immobilisation 535
Ryan, W. J.
See Morcombe, P. W. 13

Saffigna, P. G.
See White, P. J. 99
Sang, J. P., Bluett, C. A., Elliott, B. R., and Truscott, R. J. W.
Effect of time of sowing on oil content, erucic acid and glucosinolate contents in rapeseed (*Brassica napus* L. cv. Marnoo) 607
Saranah, J. B.
See Whiley, A. W. 249

Schrodter, G. N.
See Novak, V. J. 129
Shelton, H. M.
See Sivasupiramaniam, S. 23
Shepherd, R. K.
See Anning, P. 567
Shorthose, W. R.
See Tierney, T. J. 651
Simpson, D. R.
See Menzel, C. M. 261
Simpson, J. R.
See Pinkerton, A. 107, 681
Sivasupiramaniam, S., Akkasaeng, R., and Shelton, H. M.
Effects of nitrogen and lime on growth of *Leucaena leucocephala* cv. Cunningham on a red-yellow podzolic soil in south-eastern Queensland 23
Slater, Joanna
See Jones, R. J. 557
Slavich, P.
See Grieve, A. M. 761
Smith, G. H., and Warren, B.
Supplementation to improve the production of yearling steers grazing poor quality forage
1. The effects of forage type and cottonseed meal supplement 1
2. The effects of oats, supplementary nitrogen, lupins and cottonseed meal 7
Smith, P. R., McPhee, C. P., and Natoli, W. J.
Heritability of teat number and its relationship to production characters in male pigs 539
Southey, I. N.
See Ridley, P. E. R. 665
Southwell, R. J.
See McLeod, R. W. 375
Spragg, J. C., and Kellaway, R. C., and Kempton, T. K.
Effects of cottonseed meal and cereal grain supplements on intake and utilisation of alkali-treated wheat straw by cattle 527
Stafford, J. E.
See Fleet, M. R. 159
Stockdale, C. R.
Factors affecting the productivity of irrigated annual pastures
1. Time of first irrigation in late summer–early autumn 297
2. Defoliation by dairy cows 305
Strickland, H. L.
See Chung, B. 497
Strickland, R. W.
See Keating, B. A. 181
Strong, W. M.
Effects of nitrogen application before sowing, compared with effects of split applications before and after sowing, for irrigated wheat on the Darling Downs 201
See also Harbison, J. 339
Strong, W. M., Harbison, J., Nielsen, R. G. H., Hall, B. D., and Best, E. K.
Nitrogen availability in a Darling Downs soil following cereal, oilseed and grain legume crops.
1. Soil nitrogen accumulation 347
2. Effects of residual soil nitrogen and fertiliser nitrogen on subsequent wheat crops 353
Suiter, R. J., and Morris, C. A.
Influence of sire breed, lambing date and summer feed treatments on lamb and young sheep meat production in southern Western Australia 139
Tangendjaja, B., Lowry, J. B., and Wills, R. B. H.
Changes in mimosine, phenol, protein and fibre content of *Leucaena leucocephala* leaf during growth and development 315
Taylor, A. C., and Lill, W. J.
Wheat crop surveys in southern New South Wales
4. The response by grain yield and other wheat attributes to weeds 709
Taylor, A. J., and Marble, V. L.
Lucerne irrigation and soil water use during bloom and seed set on a red-brown earth in south-eastern Australia 577
Taylor, Peter A., Flett, S. P., de Boer, R. F., and Marshall, D.
Effects of irrigation regimes on powdery scab disease and yield of potatoes 745
Tierney, T. J., Wythes, J. R., Powell, E. E., Crotty, K. J., Shorthose, W. R., and Rudder, T. H.
Liveweight gains and carcass traits of high grade Simmental, Hereford, Africander × Hereford and Brahman × Hereford feedlot yearling steers 651
Tisdall, J. M., and Adem, H. H.
Effect of water content of soil at tillage on size-distribution of aggregates and infiltration 193
Effect of type of seedbed, type of irrigation, and of a mulch on seedling emergence, growth and yield of maize (*Zea mays*) 197
Truscott, R. J. W.
See Sang, J. P. 607

Vallis, I.
See White, P. J. 99

Wachtel, M. F.
Resistance and tolerance of grapevine rootstocks to citrus nematode (*Tylenchulus semipenetrans*) 517
Walker, R. W.
See Anning, P. 567
Waller, P. J.
See Axelsen, A. 267
Warren, B.
See Smith, G. H. 1, 7
Weatherley, A. J.
See Bolland, M. D. A. 217
Wesley-Smith, R. N.
See McSweeney, C. S. 659
Whiley, A. W., Pegg, K. G., Saranah, J. B., and Forsberg, L. I.
The control of Phytophthora root rot of avocado with fungicides and the effect of this disease on water relations, yield and ring neck 249
White, P. J., Vallis, I., and Saffigna, P. G.
The effect of stubble management on the availability of ^{15}N-labelled residual fertilizer nitrogen and crop stubble nitrogen in an irrigated black earth 99
Wickson, R. J.
See Cresswell, G. C. 393
Wildermuth, G. B.
Geographic distribution of common root rot and *Bipolaris sorokiniana* in Queensland wheat soils 601
Williams, John
See Probert, M. E. 49
Wills, R. B. H.
See Tangendjaja, B. 315
Wilson, A. G. L., Harper, L. R., and Baker, H.
Evaluation of insecticide residues and droplet drift following aerial application to cotton in New South Wales 237

Wong, P. T. W.
See McLeod, R. W. 375
Wood, P. McR., and Petterson, D. S.
Phomopsis leptostromiformis infection and phomopsin A content of lupin seed in Western Australia 583
Wright, D. E.
Damage and loss in yield of wheat crops caused by the Australia plague locust *Chortoicetes terminifera* (Walker) 613
Wythes, J. R.
See Tierney, T. J. 651